




Celsius - Midi

Non-destructive Temperature Measurement System



PRODUCT DESCRIPTION

The Celsius Midi measurement system offers a fast, accurate method for non-destructive and non-invasive temperature measurement of a wide variety of food products. By measuring the temperature of product without penetrating the outer packaging or the product itself, the Celsius Midi drastically reduces waste and increasing throughput and profit.

The measurements are performed using microwave thermometry technology which measures the equilibrium temperature rather than the surface or core temperature. This produces fast, consistent and accurate readings because the temperature measurement is not reliant on the positioning of a temperature probe.

Celsius is not an alternative but the new standard offering: Superior quality assurance: Celsius is proven to be the most accurate measurement available. Celsius will not miss hot or cold spots as it takes into account the entire product, giving the “desired” equilibrium temperature. Increased production efficiency: Celsius offers the quickest results available to the industry, with minimum operator skill.

Considerable savings: Celsius offers impressive paybacks, with savings made due to the removal of product wastage, packaging, replacement probes and rejected product.

The Celsius Midi provides reliable, repeatable and robust measurements in a fast, simple and effective way.

FEATURES

- Non-destructive and non-invasive measurement
No damage to packing or product reducing waste
- Built-in intuitive user Interface
Via 8.5” colour resistive touchscreen
- Electronic record keeping
CSV stored on the device for historical retrieval
- More accurate than probe or infra-red devices
Mean temperature measurement
- Increases detection of hot or cold spots on product
- Simple error-free operation
Open door, place product, close door, start measurement
- Optional USB bar-code scanner
Operator and product data filed entry reduces errors
- Optional status alarm beacon
Indicates out of tolerance measurement results




APPLICATIONS

- Packaged and unpackaged food
- Mid-line sampling
- End-of-line sampling



TECHNICAL SPECIFICATION

| | |
|---|---|
| Electrical requirements: | 110V / 60Hz 240V / 50Hz |
| Ambient operating temperature: | -5 to 40°C (-23 to 104°F) |
| Operating humidity: | 40 to 90% RH non-condensing |
| External dimensions: (HxWxD) | 700 mm x 520 mm x 440 mm (approx.) |
| Weight: | ~64kg |
| Product temperature range: | -5 to 30°C (Chilled produce) (23 to 86°F) -30 to -5°C (Frozen produce) (-22 to 23°F) |
| Product accuracy: <small>(using reference liquids under laboratory conditions)</small> | ± 0.5°C (0.9°F) (chilled range) ± 1.0°C (1.8°F) (frozen range) |
| Maximum product size: (HxWxD) | 360 mm x 360 mm x 300 mm |
| Data interfaces: | USB for optional barcode reader |
| Operator display: | 8.5" Full colour Touch screen |
| Controls: | 8.5" resistive touch-screen colour user interface Power on/off Closure handle |

| | | |
|---|--|--|
|  |  |  |
| All organic matter naturally emits thermal radiation, generated by random movement of molecules | Celsius detects these thermal signals and uses them to calculate the average temperature | The process is non-invasive, eliminating product wastage and reducing cost |

USA Sales

McQueen Cairns Technology
4500 140th Avenue North
Suite 101
Clearwater
FL 33762
T: +1 727 269 5188
F: +1 727 538 4237
E: mail@mcqueen-cairns.com

Rest of World Sales

Celsius Instruments
Rockingham Drive
Linford Wood East
Milton Keynes
MK14 6LY
T: +44 (0)1908 396111
F: +44 (0)1908 235333
E: andy.slater@celsius-instruments.com

OPTIONS

| | |
|--|-------------------|
| <i>USB Barcode Reader</i> | Stock code: 91556 |
| <i>Beacon Alarm System</i> | Stock code: 91557 |
| <i>Celsius Instruments recommend the use of a suitable reference material for verification / calibrate of the device</i> | |

TO ORDER

| | |
|---------------------|-------------------|
| Celsius Midi (110V) | Stock code: 99250 |
| Celsius Midi (230V) | Stock code: 99926 |
| USB Barcode Reader | Stock code: 91556 |
| Beacon | Stock code: 91557 |



This publication is not intended to form the basis of a contract and the company reserves the right to amend the design and specification of the instruments without notice. Issue 13 January 16